(11) EP 0 868 102 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication: 30.09.1998 Bulletin 1998/40

- (51) Int. Cl.5: H04Q 7/38, H04Q 7/24
- (21) Application number: 98105318.4
- (22) Date of filing: 24.03.1998
- (84) Designated Contracting States:


 AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
 NL PT SE

 Designated Extension States:
 AL LT LV MK RO SI
- (30) Priority: 24.03.1997 JP 69885/97
- (71) Applicant: NEC CORPORATION Tokyo (JP)

- (72) Inventors:
 - Ueda, Hitoshi Minato-ku, Tokyo (JP)
 - Tanaka, Shoji
 Minato-ku, Tokyo (JP)
- (74) Representative: Betten & Resch Reichenbachstrasse 19 80469 München (DE)

(54) Mobility managment for a distributed communication system

(57) Each of communication terminals for use in a communication system which performs voice communications and data communications has an individual database which manages mobility information of its own and other communication terminals. The mobility information managed by the individual database includes subscriber numbers, subscribers' names, authentication numbers, date and time information, incoming call destination priority information, terminal types, location registration information, incoming call addresses, etc. of its own and other communication terminals.



Description

BACKGROUND OF THE INVENTION

Field of the Invention:

The present invention relates to a communication system capable of performing voice communications and data communications using communication terminals such as personal computers with a built-in telephone function and personal computers that can be connected to telephone sets (hereinafter referred to as a "fixed terminal") and mobile telephone terminals with an information processing capability (hereinafter referred to as a "mobile terminal").

2. Description of the Related Art:

One of the conventional mobility management processes is a location updating process for mobile communications. Known location updating processes are those disclosed in Japanese laid-open patent publications Nos. 264653/95, 162942/95, 129488/95, 209489/94, 283898/91, and 095037/90, and a GSM (Global System for Mobile communications) process, a PDC (Personal Digital Cellular) process, and an IS-95 process. These location updating processes will be described below. Fig. 1 of the accompanying drawings shows a communication system in which a location updating process is carried out.

Mobile communication systems employ location registration areas provided for each operator or each predetermined geographical range. When the mobile terminal of a subscriber is switched on for the first time in a location registration area or moves from a location registration area into another location registration area, the mobile terminal sends a location registration change request to a database which is composed of location registers including a home location register (HLR) and a visitor location register (VLR). The database stores location registration information associated with mobile terminal numbers. When there is an incoming call for a mobile terminal, the database searches the location registration areas for the mobile terminal, and calls the mobile terminal in the location registration area which is determined. If a roaming service is available between different operators, then even when a mobile terminal roams into a service area of an operator to which the mobile terminal does not subscribe, the location registration information in the HLR of the home operator and the location registration information in the VLR of the operator which provides the roaming service can be updated by a location registration change request from the mobile terminal. While the mobile terminal is roaming, the mobile terminal is temporally allotted a roaming number for its own identification, and managed by the database. Therefore, no matter which service area a mobile terminal nay be located in, its location registration information is updated, allowing connecting incoming calls to the mobile terminal.

In Fig. 1, a mobile terminal 505 subscribes to an operator which covers a service area 510, and information of the mobile terminal 505 is managed in a database (HLR) 500. When the mobile terminal 505 moves from a location registration area 511 into a location registration area 512, the mobile terminal 505 sends a location registration change request to a database (VLR) 504 via a mobile switching office 502. The database (VLR) 504 sets up location registration information and allots a roaming number, and notifies the database (HLR) 500. In response to the notification from the database (VLR) 504, she database (HLR) 500 updates the location registration information of the mobile terminal 505 and sets up the roaming number thereof. When an incoming call for the mobile terminal 505 arrives at a mobile switching office 501, the mobile switching office 501 sends a location information inquiry to the database (HLR) 500. The mobile switching office 501 confirms that the mobile terminal 505 is located in a location registration area 512 covered by the mobile switching office 502, acquires the roaming number for the incoming call, and connects the incoming call to the mobile switching office 502. In response to the incoming call from the mobile switching office 501, the mobile 45 switching office 502 sends an inquiry about the mobile terminal 505 to the database (VLR) 504, using the roaming number, and acquires a location registration area in which the mobile terminal 505 is located and a mobile terminal number (which may be a temporary number for concealing its real number). The mobile switching office 502 calls the mobile terminal 505 in an area to be called (which is usually the same as the location registration area). If someone answers with the mobile terminal 505, the mobile switching office 502 connects an incoming call circuit from the mobile switching office 501 and the communication path of the mobile terminal 505, for communications to start between the calling and called parties. When an outgoing call is made from a mobile terminal, a location registration change request may automatically be sent from a mobile switching office to a location register.

Japanese laid-open patent publication No. 264653/95 discloses a dual-mode system for a cordless terminal and a mobile terminal. When switched to a slave unit of the cordless terminal, the wired telephone number of a master unit of the cordless terminal is registered as a call forwarding destination in a location register of a mobile communication system. When there is an incoming call for the mobile terminal, an incoming call is rerouted to the master unit of the cordless terminal.

According to Japanese laid-open patent publication No. 162942/95, where there are a plurality of mobile switching

offices for routing control in one location registration area, a routing number for a terminal in a location register is updated when a call is disconnected, so that the routing number can be updated into an optimum routing number in the same location registration area.

Japanese laid-open patent publication No. 129488/95 reveals location updating between private networks for private mobile communications.

in the disclosure of Japanese laid-open patent publication No. 209489/94, when terminals concentrate in the area covered by a certain control station, control is divided between a management station which manages positional information in an entire service area and the control station for thereby preventing congestion.

Japanese laid-open patent publication No. 283898/91 shows a system having a plurality of home location registers. If there are many communications performed in a visitor area outside a home area, then a terminal is controlled as if it were located within the home area, using a home memory in the visitor area, so that access to a home location register of its own is reduced to prevent congestion.

According to Japanese laid-open patent publication No. 095037/90, location registration information is locally shielded in radio base stations, and when there is an incoming call, the incoming call information is transferred to all the base stations, which determine whether a call is to be made or not based on the incoming call information.

GSM allows location registrations to be canceled and started. Either version of GSM is a mobility management system using location updating as described above with reference to Fig. 1.

One conventional mobility management process is a location tracking process for personal communications. This mobility management process is disclosed in Japanese laid-open patent publication No. 308674/93 and an article entitled "An intelligent location tracking method for personal terminal FPLMTS/UMTS communications". The location tracking process will be described below with reference to Fig. 2 of the accompanying drawings. In personal communications, each individual has a number, and performs a tracking process. A plurality of items of information as to which terminal is used to communicate in each of months, days, weeks, and times are registered as action schedules of individuals. When there is an incoming call, a terminal is called on the basis of the registered information. Tracking information is managed by a home database, and includes individual's numbers and individual's authentication numbers as individual's information and a plurality of incoming call terminal numbers as action schedules.

In Fig. 2, a database 604 belongs to an switching network 600 of an individual ABC. It is assumed that the database 604 manages, as part of subscriber's information, an individual's number "123", an individual's authentication number "556677", a first candidate terminal number "306111" as the number of a fixed terminal 606 scheduled to communicate in a certain day at a certain time, and a second candidate terminal number "307111" as the number of a fixed terminal 607, as shown in Table 1 below.

Table 1

35

40

45

Table 1	
Individual's name	ABC
Individual's number	123
Individual's authentication number	556677
1st candidate terminal	Fixed terminal 606
1st candidate terminal number	306111
2nd candidate terminal	Fixed terminal 607
2nd candidate terminal number	307111

When there is an incoming call for the subscriber ABC at this time from a transmitting switching network 601, the incoming call is sent to the switching network 600. The switching network 600 searches the home database 604 for a present incoming call destination, using the individual's number "123" of the subscriber ABC as a parameter, and attempts to make a call with the first candidate terminal number "306111", obtained from the database 604, which is the number of the fixed terminal 606. It is assumed that an switching network 602 is a first incoming call destination network to which the fixed terminal 606 belongs. If the fixed terminal 606 is busy or no one answers at the fixed terminal 606, then the switching network 600 obtains the second candidate terminal number "307111", which is the number of the fixed terminal 607, from the database 604, and attempts to make a call with the second candidate terminal number "307111". It is assumed that an switching network 603 is a second incoming call destination network to which the fixed terminal 607 belongs. If the fixed terminal 607 answers, then the switching network 600 sets up a connection between the switching networks 601 and 603, allowing the calling and called parties to communicate with each other.

The article entitled "An intelligent location tracking method for personal terminal FPLMTS/UMTS communications"

describes that after location updating of a subscriber has been studied for a certain period of time, location tracking pattern information of highest probability is generated.

The conventional location updating processes have suffered various problems.

The first problem is that the conventional location updating processes require a large amount of communications between exchanges and a home database, typically a home location register, which stores information (such as location registration information) of communication terminals, resulting in a reduction in the processing capability. Reasons for the first problem are that the present location updating processes are applicable to mobile communication networks only, and for communicating with a certain mobile communication terminal, an exchange necessarily accesses the home database and calls the mobile communication terminal based on location registration information thereof which is obtained from the home database.

The second problem is that there are instances in which a mobile communication terminal may not be called and ineffective calling may be made even if the mobile communication terminal is located in a location registration area which has last been updated. The second problem arises because the mobile communication terminal may sometimes be located in a building and cannot be accessed by radio waves. Since the mobile communication terminal does not reply when it is called in such an occasion, the calling party hears an announcement of absence from the network, and may find it necessary to call another mobile communication terminal which the calling party can expect to communicate with

According to the third problem, a mobile communication terminal cannot be called and ineffective calling is made if the mobile communication terminal is not present in a network which is subject to location updating and is present in a network which is not subject to location updating. The third problem occurs because the present location updating processes are applicable to mobile communication networks only, but not fixed wired networks. Even if a fixed communication terminal is present in a location where no mobile communication network services are available, since a calling subscriber makes a call to an updated area where the mobile communication terminal has been last present and the mobile communication terminal does not reply as it is not in the updated area, the calling subscriber cannot communicate with the mobile communication terminal unless he obtains the number of the fixed communication terminal and calls the fixed communication terminal.

The fourth problem is that the ineffective calling due to the second and third problems may be avoided by a detaching process in which a home location register is notified of an absence when a mobile communication terminal enters an area not accessible by radio waves or is switched off, but the detaching process results in increased signal traffic between mobile communication terminals and the network, causing congestion. This is because a mobile communication terminal may enter an area of weak field intensity, but may not necessarily stay in such an area not accessible by radio waves. The mobile communication terminal initiates the detaching process when it enters an area where the field intensity is lower than a certain preset level and initiates an attaching process when the field intensity becomes higher than the preset level. Consequently, the mobile communication terminal tends to repeat the detaching and attaching processes alternately when it is moves between a radio zone where the field intensity is unstable and a boundary region of such a radio zone.

The fifth problem is that the present location updating processes are liable to incur a lot of expenses for communications. Specifically, inasmuch as the present location updating processes are applicable to mobile communication networks only, but no fixed wired networks, an incoming call arrives at a mobile communication terminal via a mobile communication network though a fixed communication terminal is readily available. To prevent such a condition, it is necessary for a subscriber to tell people who are likely to make a call, the number of the fixed communication terminal most readily available to the subscriber. However, such a solution results in an increased expenditure of time and money for communications.

The sixth problem is that the conventional location tracking process is apt to cause many wasteful incoming calls. Specifically, while a subscriber is in motion, it is not possible to set up accurate information to be tracked, and due to a change in schedule, tracking information including a tracking sequence is not in conformity with a location where the subscriber is present, with the results that no one may response to an incoming call or the subscriber may not be present even if an incoming call is answered. In some cases, the subscriber may be present at the final incoming call destination on the tracking list, and an incoming call may not reach the subscriber.

SUMMARY OF THE INVENTION

50

It is an object of the present invention to provide a communication terminal which is capable of reducing the amount of communications between an exchange and a home database for thereby increasing the processing capability of the exchange.

Another object of the present invention is to provide a method of calling a subscriber while reducing unnecessary calling and tracking control and increasing the quality of services available to the subscriber.

Still another object of the present invention is to provide a method of updating mobility information.

According to the present invention, there is provided a communication terminal for use in a communication system for performing voice communications and data communications, comprising an individual database for managing mobility information including (a) a subscriber number of a subscriber, (b) a type of a registered communication terminal owned by the subscriber, (c) incoming call destination priority information for determining a priority rank for the registered communication terminal to receive an incoming call, (d) present location registration information of the registered communication terminal if the registered communication terminal is a mobile terminal, (e) an incoming call address of the registered communication terminal. (f) tracking control information as to whether an incoming call is to be received by a communication terminal having a next priority rank if the registered communication terminal is incapable of communication, (g) the information (a) - (f) classified according to dates and times, (h) a subscriber number, registered by the subscriber, of at least one other subscriber, and (i) the information (a) - (f) of the at least one other subscriber.

According to the present invention, there is also provided a method of calling a subscriber in a communication system which performs voice communications and data communications using a communication terminal which comprises an individual database for managing mobility information including (a) a subscriber number of a subscriber, (b) a type of a registered communication terminal owned by the subscriber, (c) incoming call destination priority information for determining a priority rank for the registered communication terminal to receive an incoming call, (d) present location registration information of the registered communication terminal if the registered communication terminal is a mobile terminal, (e) an incoming call address of the registered communication terminal, (f) tracking control information as to whether an incoming call is to be received by a communication terminal having a next priority rank if the registered communication terminal is incapable of communication, (g) the information (a) - (f) classified according to dates and times, (h) a subscriber number, registered by the subscriber, of at least one other subscriber, and (i) the information (a) - (f) of the at least one other subscriber, the method comprising the steps of entering the subscriber number of the other subscriber, to which a call is to be transmitted, from the communication terminal of the subscriber, inquiring about mobility information of the other subscriber, which is stored in an individual database of the other subscriber, based on the entered subscriber number via a communication network to acquire the mobility information of the other subscriber, updating mobility information of the other subscriber, which is stored in the individual database of the subscriber, based on the acquired mobility information of the other subscriber, checking incoming call destination priority information based on the updated mobility information of the other subscriber in the individual database of the subscriber, and acquiring an incoming call address of a communication terminal which has a first priority rank, and calling the other subscriber via the communication terminal which has the acquired incoming call address.

If the subscriber is incapable of communicating with the communication terminal which has the acquired incoming call address, tracking control information of the communication terminal is checked, and if the tracking control information represents tracking control, an incoming call address of a communication terminal whose incoming call destination priority information represents a next priority rank is acquired, and the other subscriber is called via the communication terminal having the acquired incoming call address.

Because mobility information which has heretofore been managed by a home database is managed by individual databases of respective subscribers, the amount of communications between exchanges and the home database is reduced.

Since the individual databases of respective subscribers manage the latest mobility information at all times, when a subscriber wants to communicate with another subscriber, the subscriber calls the other subscriber via a communication terminal with which the other subscriber will receive the call with highest probability, with the result that unnecessary calling and tracking control can be reduced.

Inasmuch as the communication terminal with which the other subscriber will receive the call with highest probability is automatically called, the subscriber is not required to consider which communication terminal should be called.

Because another communication terminal managed by the mobility information in the individual database is automatically called, when there is no response to a call to the other subscriber, the subscriber does not need to call again a different communication terminal.

When a mobile terminal owned by the subscriber is switched on or moves from a location registration area into another location registration area, a request to update mobility information is transmitted from the mobile terminal to a mobile terminal having an individual database, and the mobility information of the subscriber which is stored in the individual database of the subscriber is updated.

When the subscriber inserts a portable subscriber information memory card which carries the same information as the mobility information in the individual database into the communication terminal, a request to update mobility information is transmitted from the communication terminal to another communication terminal having an individual database, and the mobility information of the subscriber in the other individual database is updated.

The request to update mobility information is transmitted from the mobile terminal of the subscriber simultaneously to other subscribers registered in the individual database of the subscriber, and the mobility information of the subscriber in individual databases of mobile terminals of the other subscribers is updated in response to the request to update mobility information.

When the subscriber changes communication terminals, another communication terminal having an individual database is accessed via telephone to update the mobility information of the subscriber in the other individual database.

When the subscriber receives an incoming call from the other subscriber registered in the individual database thereof, mobility information of the other subscriber is received, and the mobility information of the other subscriber stored in the individual database of the subscriber is automatically updated.

The mobile information of the subscriber stored in the individual database thereof may be manually updated.

The mobile information of the other subscriber which is stored in the individual database of the subscriber may be manually updated.

The above and other objects, features, and advantages of the present invention will become apparent from the following description with reference to the accompanying drawings which illustrate examples of the present invention.

BRIEF DESCRIPTION OF THE DRAWINGS

15

20

45

50

55

- Fig. 1 is a block diagram of a communication system which carries out a conventional location updating process;
- Fig. 2 is a block diagram of a communication system which carries out a conventional location tracking process;
- Fig. 3 is a block diagram of a communication system according to an embodiment of the present invention;
- Fig. 4 is a sequence diagram of a first process of updating mobility information according to the present invention;
- Fig. 5 is a sequence diagram of a second process of updating mobility information according to the present invention:
- Fig. 6 is a sequence diagram of a third process of updating mobility information according to the present invention; Fig. 7 is a sequence diagram of a fourth process of updating mobility information according to the present invention;
- and
 Fig. 8 is a sequence diagram of a fifth process of updating mobility information according to the present invention.

25 DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

As shown in Fig. 3, a communication system according to an embodiment of the present invention basically comprises a fixed telephone network 1, an Internet 2, gateways 3, 4, 5, mobile switching offices 6, 7, 8, fixed terminals 10, 11, 13, and mobile terminals 12, 14. The communication system allows subscribers A, B to carry out voice communications and data communications.

The subscriber A has the fixed terminal 10, the fixed terminal 11, and the mobile terminal 12, and the subscriber B has the fixed terminal 13 and the mobile terminal 14. The fixed terminal 10 has a individual database 15 of the subscriber A incorporated therein which manages mobility information of the fixed terminal 10, the fixed terminal 11, and the mobile terminal 12 and mobility information of the other subscriber B. Similarly, the fixed terminal 13 has a individual database 16 of the subscriber B incorporated therein which manages mobility information of the fixed terminal 13 and the mobile terminal 14 and mobility information of the other subscriber A.

Table 2 given below shows, by way of example, the mobility information (before being updated) stored in the individual database 15 of the subscriber A. The individual database 15 manages, as the mobility information of the subscriber A, a subscriber number, a subscriber's name, date and time information, incoming call destination priority information, terminal type, location registration information, incoming call address, and tracking control information, and also manages mobility information of the other subscriber B and subscribers C, D, • • • (omitted from Table 2).

Table 2

	Subscriber number	1234567
5	Subscriber's name	A
	Date and time	@@ (day), ## (month)
		8:30 - 17:15
	Incoming call destination	1st priority
10	priority	1
. •	Terminal type	Fixed terminal 10
	Location registration in-	None
	formation	
	Incoming call address	0471857162
15	Tracking control	Next track upon no answer
	information	
	Incoming call destination	2nd priority
	priority	
?C	Terminal type	Mobile terminal 12
	Location registration	Location registration area
	information	20
	Incoming call address	030111111
	Tracking control	Next track upon no answer
25	information	
	Incoming call destination	3rd priority
	priority	
	Terminal type	Fixed terminal 11
16	Location registration	None

35

45

5C

55

ſ	in formation	
	information Incoming call address	0486681950
	Incoming call address	Not next track upon
5	Tracking control	no answer
ļ	information	@@ (day), ## (month)
	Date and time	17:15 - 8:30
		1st priority
	Incoming call destination	13c priority
10	priority	Fixed terminal 11
	Terminal type	0486681950
	Incoming call address	None
	Location registration in-	None
	formation	Next track upon no answer
15	Tracking control	Hexe craon apon
	information	2nd priority
,	Incoming call destination	Ziid priorio
ŀ	priority Terminal type	Mobile terminal 12
20	Location registration	Location registration
	information	area 30
	Incoming call address	0301111111
	Tracking control	Next track upon no answer
	information	
25	Incoming call destination	3rd priority
	priority	
	Terminal type	Fixed terminal 10
	Location registration	None
30	information	
	Incoming call address	0471857162
	Tracking control	Not next track upon
	information	no answer
	Subscriber number	3456789
35	Subscriber's name	В
	Incoming call destination	1st priority
	priority	
	Terminal type	Mobile terminal 14
40	Location registration	Location registration
40		1
	information	area 40
	information	area 40
	<u> </u>	area 40
	information Incoming call address Tracking control information	area 40 0305555555 Next track upon no answer
45	information Incoming call address Tracking control	area 40
45	information Incoming call address Tracking control information Incoming call destination priority	area 40 0305555555 Next track upon no answer 2nd priority
45	information Incoming call address Tracking control information Incoming call destination priority Terminal type	area 40 0305555555 Next track upon no answer 2nd priority Fixed terminal 13
45	information Incoming call address Tracking control information Incoming call destination priority	area 40 0305555555 Next track upon no answer 2nd priority
	information Incoming call address Tracking control information Incoming call destination priority Terminal type Location registration information	area 40 0305555555 Next track upon no answer 2nd priority Fixed terminal 13 None
45	information Incoming call address Tracking control information Incoming call destination priority Terminal type Location registration information Incoming call address	area 40 0305555555 Next track upon no answer 2nd priority Fixed terminal 13 None 0471352222
	information Incoming call address Tracking control information Incoming call destination priority Terminal type Location registration information	area 40 0305555555 Next track upon no answer 2nd priority Fixed terminal 13 None

Table 3 given below shows, by way of example, the mobility information (before being updated) stored in the individual database 16 of the subscriber B. The individual database 16 manages mobility information similar to the mobility

information stored in the individual database 15.

45

50

Table 3

5	Subscriber number	3456789
5	Subscriber's name	R
	Date and time	@@ (day), ## (month)
		8:30 - 12:00
10	Incoming call destination	1st priority
	priority	
	Terminal type	Fixed terminal 13
	Location registration	None
	information	
15	Incoming call address	0471852222
	Tracking control	Next track upon no answer
	information	_
	Incoming call destination	2nd priority
20	priority	_
20	Terminal type	Mobile terminal 14
	Location registration	Location registration
	information	area 40
	Incoming call address	030555555
25	Tracking control	Next track upon no answer
	information	
	Date and time	@@ (day), ## (month)
		12:00 - 8:30
30	Incoming call destination	1st priority
30	priority	
	Terminal type	Mobile terminal 14
	Location registration	Location registration
	information	area 40
35	Incoming call address	030555555
	Tracking control	Next track upon no answer
	information	
	Incoming call destination	2nd priority
40	priority]
	Terminal type	Fixed terminal 13
,	<u> </u>	

	Location registration	None
	information	
5	Incoming call address	0471852222
3	Tracking control	Not next track upon
	information	no answer
	Subscriber number	1234567
	Subscriber's name	A
10	Incoming call destination	1st priority
	priority	
	Terminal type	Fixed terminal 10
	Location registration	None
15	information	
75	Incoming call address	0471857162
	Tracking control	Next track upon no answer
	information	
	Incoming call destination	2nd priority
20	priority	
	Terminal type	Mobile terminal 12
	Location registration	Location registration
	information	area 30
25	Incoming call address	030111111
25	Tracking control	Next track upon no answer
	information	
	Incoming call destination	3rd priority
	priority	
30	Terminal type	Fixed terminal 11
	Location registration	None
	information	
	Incoming call address	0486681950
35	Tracking control	Not next track upon
	information	no answer

The mobile switching offices 6, 7, 8 are connected to the fixed telephone network 1 and the Internet through the respective gateways 3, 4, 5. The mobile switching offices 6, 7, 8 are positioned respectively in location registration areas 20, 30, 40. The mobile terminal 12 is positioned in the location registration area 20, and the mobile terminal 14 is positioned in the location registration area 40.

Fig. 4 shows a process of updating the mobility information.

55

For making a call from the subscriber A to the subscriber B registered in the individual database 15 at 9:00 AM in ## (date), @@ (month), the subscriber number "3456789" of the subscriber B is entered from the fixed terminal 10 of the subscriber A in a step 101. Based on the entered subscriber number "3456789", an inquiry about mobility information of the subscriber B in the individual database 16 is made via the Internet 2 in a step 102, and mobility information shown in Table 4 given below is obtained in a step 103. The mobility information of the subscriber B in the individual database 15 is updated with the obtained mobility information as shown in Table 5 in a step 104.

Table 4

IdDIE 4	
Subscriber number	3456789
Subscriber's name	В
Incoming call destination priority	1st priority

Table 4 (continued)

Terminal type	Fixed terminal 13
Location registration information	None
Incoming call address	0471852222
Tracking control information	Next track upon no answer
Incoming call destination priority	2nd priority
Terminal type	Mobile terminal 14
Location registration information	Location registration area 40
Incoming call address	0305555555
Tracking control information	Not next track upon no answer

Table 5

		1234567
	Subscriber number	
5	Subscriber's name	A
	Date and time	@@ (day), ## (month)
		8:30 - 17:15
	Incoming call destination	1st priority
10	priority	
10	Terminal type	Fixed terminal 10
	Location registration	None
	information	
	Incoming call address	0471857162
15	Tracking control	Next track upon no answer
	information	
	Incoming call destination	2nd priority
	priority	
	Terminal type	Mobile terminal 12
20	Location registration	Location registration
	information	area 20
	Incoming call address	0301111111
	Tracking control	Next track upon no answer
25	information	
	Incoming call destination	3rd priority
	priority	
	Terminal type	Fixed terminal 11
	Location registration	None
30	information	0.10.6601.050
	Incoming call address	0486681950
	Tracking centrol	Not next track upon
	information	no answer
35	Date and time	@@ (day), ## (month)
35		17:15 - 8:30
	Incoming call destination	1st priority
	priority	
	Terminal type	Fixed terminal 11
40	Location registration	None
	information	
	Incoming call address	0486681590
	Tracking control	Next track upon no answer
	information	
45	Incoming call destination	2nd priority
	priority	
	Terminal type	Mobile terminal 12
	Location registration	Location registration
50	information	area 20
	Incoming call address	0301111111
	Tracking control	Next track upon no answer

	information	
	Incoming call destination	3rd priority
5	priority	
	Terminal type	Fixed terminal 10
	Location registration	None
	information	
	Incoming call address	0471857162
10	Tracking control	Not next track upon
	information	no answer
	Subscriber number	3456789
	Subscriber's name	В
15	Incoming call destination	lst priority
	priority	
	Terminal type	Fixed terminal 13
	Location registration	None
20	information	
20	Incoming call address	0471852222
	Tracking control	Next track upon no answer
	information	
	Incoming call destination	2nd priority
25	priority	
	Terminal type	Mobile terminal 14
	Lecation registration	Location registration
	information	area 14
30	Incoming call address	030555555
	Tracking control	Not next track upon
	information	no answer

35

2

3

From the mobility information, updated in the step 104, of the subscriber B stored in the individual database 15 of the subscriber A, the incoming call priority is checked, and the incoming address "047185222" of the fixed terminal 13 which is the first priority is acquired in a step 105. The subscriber B is called via the fixed terminal 13 in a step 106, and after an answer from the fixed terminal 13 is received in a step 107, communications with the subscriber B are started.

An updating process in case no answer is received from the fixed terminal 13 will be described below with reference to Fig. 5. The steps up to a call request from the subscriber A are the same as those shown in Fig. 4. The fixed terminal 10 of the subscriber A checks if there is an answer from the fixed terminal 13 of the subscriber B or not in a step 108. If "NO" in the step 108, then tracking control information of the fixed terminal 13 among the mobility information of the subscriber B stored in the individual database 15 is checked in a step 109. If "next track" in the step 109, then the incoming call address "0305555555" of the mobile terminal 14 which is the second priority in terms of the incoming call destination priority and the location registration information (location registration area 40) thereof are acquired in a step 110. The subscriber B is called via the mobile terminal 14 in a step 111, and after an answer from the mobile terminal 14 is received in a step 112, communications with the subscriber B are started.

Table 6 given below shows, by way of example, the mobility information (before being updated) stored in the individual database 15 of the subscriber A, and Table 7 given below shows, by way of example, the mobility information in the individual database 16 of the subscriber B.

Table 6

ſ	Subscriber number	1234567
_	Subscriber's name	A
5	Date and time	@@ (day), ## (month)
		8:30 - 17:15
	Incoming call destination	1st priority
	priority	
10	Terminal type	Fixed terminal 10
	Location registration	None
	information	
	Incoming call address	0471857162
	Tracking control	Next track upon no answer
15	information	
	Incoming call destination	2nd priority
	priority	Mobile terminal 12
	Terminal type	Location registration
20	Location registration	area 20
20	information	0301111111
	Incoming call address	Next track upon no answer
	Tracking centrol	Next track aport to
	information Incoming call destination	3rd priority
25	priority	
	Terminal type	Fixed terminal 11
	Location registration	None
	information	
30	Incoming call address	0486681950
50	Tracking control	Not next track upon
	information	no answer
	Date and time	@@ (day), ## (month)
		17:15 - 8:30
35	Incoming call destination	1st priority
	priority	Fixed terminal 11
	Terminal type	0486681950
	Incoming call address	None
40	Location registration	Hone
	information Tracking control	Next track upon no answer
	information	
	Incoming call destination	2nd priority
	priority	
45	Terminal type	Mobile terminal 12
	Location registration	Location registration
	information	area 20
	Incoming call address	030111111
50	Tracking control	Next track upon no answer
	information	<u> </u>
	Incoming call destination	3rd priority

priority Terminal type Fixed terminal 10 Location registration None information 0471857162 Incoming call address Not next track upon Tracking control information no answer 3456789 Subscriber number Subscriber's name Incoming call destination 1st priority priority Terminal type
Location registration Mobile terminal 14 Location registration area 40 information 030555555 Incoming call address Next track upon no answer Tracking control information 2nd priority Incoming call destination priority Terminal type Fixed terminal 13 Location registration information Incoming call address 0471852222 Tracking control Not next track upon information no answer

3C

35

40

45

10

15

20

25

Table 7

Subscriber number Subscriber's name 3456789 В @@ (day), ## (month) Date and time 8:30 - 12:00 Incoming call destination 1st priority priority Fixed terminal 13 Terminal type None Location registration information Incoming call address 0471852222 Next track upon no answer Tracking centrol information 2nd priority Incoming call destination priority Mobile terminal 14 Terminal type Location registration Location registration area 40 information 030555555 Incoming call address Next track upon no answer Tracking control information

		[@@ (day), ## (month)
	Date and time	12:00 - 8:30
		12:00 - 6.30
_	Incoming call destination	1st priority
5	priority	Mobile terminal 14
	Terminal type	Mobile terminal 14
	Location registration	Location registration
	information	area 40
10	Incoming call address	030555555
	Tracking control	Next track upon no answer
	information _	
	Incoming call destination	2nd priority
	priority	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
15	Terminal type	Fixed terminal 13
	Location registration	None
	information	
	Incoming call address	0471852222
20	Tracking control	Not next track upon
	information	no answer
	Subscriber number	1234567
	Subscriber's name	A
	Incoming call destination	1st priority
25	priority	
	Terminal type	Fixed terminal 10
	Location registration	None
	information	
30	Incoming call address	0471857162
	Tracking control	Next track upon no answer
	information	
	Incoming call destination	2nd priority
35	priority	12. 11. 5
55	Terminal type	Mobile terminal 12
	Location registration	Location registration
	information	area 20
	Incoming call address	0301111111 Next track upon no answer
40	Tracking control	Next track upon no answer
	information	
	Incoming call destination	3rd priority
	priority	Fixed terminal 11
45	Terminal type	FIXED CCIMINGS
,-	Location registration	None
	information .	0486681950
	Incoming call address	1 0480081930
	Tracking control	Not next track upon
50	information	no answer

Fig. 6 shows another process of updating the mobility information.

When the subscriber A with the mobility information in Table 6 stored in the individual database 15 thereof receives an incoming call from the subscriber B at 11:00 AM in ## (date), @@ (month) in a step 201, the fixed terminal 10 of the subscriber A sends an inquiry about the subscriber B via the fixed telephone network 1 to the individual database 16 of

the subscriber B in a step 202, and acquires mobility information shown in Table 8 in a step 203. The mobility information of the subscriber B in the individual database 15 is updated with mobility information shown in Table 9 in a step 204. The fixed terminal 10 transmits an response to the incoming call to the subscriber B in a step 205, and starts communications with the subscriber B.

Table 8

C

	· - -
Subscriber number	3456789
Subscriber's name	В
Incoming call destination priority	1st priority
Terminal type	Fixed terminal 13
Location registration information	None
Incoming call address	0471852222
Tracking control information	Next track upon no answer
Incoming call destination priority	2nd priority
Terminal type	Mobile terminal 14
Location registration information	Location registration area 40
Incoming call address	0305555555
Tracking control information	Not next track upon no answer

Table 9

-		1234567
	Subscriber number	
5	Subscriber's name	A
ĺ	Date and time	@@ (day), ## (month)
ļ		8:30 - 17:15
	Incoming call destination	1st priority
10	priority	10
10	Terminal type	Fixed terminal 10
(Location registration in-	None
	formation	2.57160
	Incoming call address	0471857162
15	Tracking control	Next track upon no answer
	information	S T T T T T T T T T T T T T T T T T T T
	Incoming call destination	2nd priority
	priority	Mobile terminal 12
20	Terminal type	Location registration
20	Location registration	area 20
	information	0301111111
	Incoming call address	Next track upon no answer
	Tracking control	Next track upon no anower
25	information	3rd priority
	Incoming call destination	Jan Director
	priority	Fixed terminal 11
	Terminal type Location registration	None
30	information	
	Incoming call address	0486681950
	Tracking control	Not next track upon
	information	no answer
35	Date and time	@@ (day), ## (month)
33	Lace and cime	17:15 - 8:30
	Incoming call destination	1st priority
	priority	
	Terminal type	Fixed terminal 11
40	Location registration	None
	information	
	Incoming call address	0486681950
	Tracking control	Next track upon no answer
45	information	
	Incoming call destination	2nd priority
	priority	

18

	Terminal type	Mobile terminal 12
	Location registration	Location registration
5	information	area 20
	Incoming call address	030111111
	Tracking control	Next track upon no answer
	information	
7.0	Incoming call destination	3rd priority
	priority	
	Terminal type	Fixed terminal 10
	Location registration	None
	information	
15	Incoming call address	0471857162
	Tracking control	Not next track upon
	information	no answer
	Subscriber number	3456789
	Subscriber's name	В
2C		1 ~
20	Incoming call destination	1st priority
20	Incoming call destination priority	
20	Incoming call destination priority Terminal type	
	Incoming call destination priority Terminal type Location registration	1st priority
25	Incoming call destination priority Terminal type Location registration information	1st priority Fixed terminal 13 None
	Incoming call destination priority Terminal type Location registration information Incoming call address	1st priority Fixed terminal 13
	Incoming call destination priority Terminal type Location registration information Incoming call address Tracking control	1st priority Fixed terminal 13 None
	Incoming call destination priority Terminal type Location registration information Incoming call address Tracking control information	1st priority Fixed terminal 13 None 0471852222 Next track upon no answer
	Incoming call destination priority Terminal type Location registration information Incoming call address Tracking control information Incoming call destination	1st priority Fixed terminal 13 None 0471852222
25	Incoming call destination priority Terminal type Location registration information Incoming call address Tracking control information Incoming call destination priority	1st priority Fixed terminal 13 None 0471852222 Next track upon no answer 2nd priority
25	Incoming call destination priority Terminal type Location registration information Incoming call address Tracking control information Incoming call destination priority Terminal type	1st priority Fixed terminal 13 None 0471852222 Next track upon no answer 2nd priority Mobile terminal 14
25	Incoming call destination priority Terminal type Location registration information Incoming call address Tracking control information Incoming call destination priority Terminal type Location registration	1st priority Fixed terminal 13 None 0471852222 Next track upon no answer 2nd priority Mcbile terminal 14 Location registration
25 36	Incoming call destination priority Terminal type Location registration information Incoming call address Tracking control information Incoming call destination priority Terminal type Location registration information	1st priority Fixed terminal 13 None 0471852222 Next track upon no answer 2nd priority Mobile terminal 14 Location registration area 40
25	Incoming call destination priority Terminal type Location registration information Incoming call address Tracking control information Incoming call destination priority Terminal type Location registration information Incoming call address	Ist priority Fixed terminal 13 None 0471852222 Next track upon no answer 2nd priority Mobile terminal 14 Location registration area 40 0305555555
25 36	Incoming call destination priority Terminal type Location registration information Incoming call address Tracking control information Incoming call destination priority Terminal type Location registration information	1st priority Fixed terminal 13 None 0471852222 Next track upon no answer 2nd priority Mobile terminal 14 Location registration area 40

40

Table 10 given below shows, by way of example, the mobility information (before being updated) stored in the individual database 15 of the subscriber A, and Table 11 given below shows, by way of example, the mobility information (before being updated) in the individual database 16 of the subscriber B.

Table 10

5C

5.6

_		1024567
LS		1234567
[9	Subscriber's name	A
	Date and time	@@ (day), ## (month)
5		8:30 - 17:15
	Incoming call destination	1st priority
ו	nriority	
T-	Terminal type	Mobile terminal 12
F-	Location registration	Location registration
,,	information	area 20
<u> </u>	Incoming call address	0301111111
-	Tracking control	Next track upon no answer
	information	
15	Incoming call destination	2nd priority
	priority	
	Terminal type	Fixed terminal 10
⊢	Location registration	None
	information	
20	Incoming call address	0471857162
-	Tracking control	Next track upon no answer
}	information	
-	Incoming call destination	3rd priority
	priority	
25	Terminal type	Fixed terminal 11
ļ-	Location registration	None
	information	
	Incoming call address	0486681950
	Tracking control	Not next track upon
	information	no answer
	Date and time	@@ (day), ## (month)
İ		17:15 - 8:30
	Incoming call destination	1st priority
35	priority	
	Terminal type	Fixed terminal 11
[Location registration	None
1	information	
	Incoming call address	0486681950
40	Tracking control	Next track upon no answer
Ĺ	information	
Γ	Incoming call destination	2nd priority
[priority	12
{	Terminal type	Mobile terminal 12
45	Location registration	Location registration
į	information	area 20
Į.	Incoming call address	0301111111
Ī	Tracking control	Next track upon no answer
	information	
50	Incoming call destination	3rd priority
[
	priority Terminal type	Fixed terminal 10

Location registration None information Incoming call address 0471857162 Tracking control Not next track upon information no answer Subscriber number 3456789 Subscriber's name В Incoming call destination 1st priority priority Terminal type Mobile terminal 14 Location registration Location registration information area 40 Incoming call address 030555555 Tracking control Next track upon no answer information Incoming call destination 2nd priority pricrity Terminal type Fixed terminal 13 Location registration None information Incoming call address 0471852222 Tracking control Not next track upon information no answer

30

5

10

15

20

25

Table 11

Subscriber number Subscriber's name 3456789 Date and time @@ (day), ## (month) 8:30 - 12:00 35 Incoming call destination 1st priority priority Terminal type Fixed terminal 13 Location registration None 40 information Incoming call address 0471852222 Next track upon no answer Tracking control information Incoming call destination 2nd priority 45 priority Terminal type Mobile terminal 14 Location registration Location registration information area 40 Incoming call address 030555555 Tracking control Not next track upon information no answer

5*C*

	Date and time	@@ (day), ## (month) 12:00 - 6:30
5	Incoming call destination	1st priority
	priority	
	Terminal type	Mobile terminal 14
	Location registration	Location registration
	information	area 40
10	Incoming call address	030555555
	Tracking control	Next track upon no answer
	information	
	Incoming call destination	2nd priority
15	priority	
,,,	Terminal type	Fixed terminal 13
	Location registration	None
	information	
	Incoming call address	0471852222
20	Tracking control	Not next track upon
	information	no answer
	Subscriber number	1234567
	Subscriber's name	A
25	Incoming call destination	lst priority
	priority	
	Terminal type	Mobile terminal 12
	Location registration	Location registration
30	information	area 20
30	Incoming call address	0301111111
	Tracking control	Next track upon no answer
	information	
	Incoming call destination	2nd priority
35	priority	1 12
	Terminal type	Fixed terminal 12
	Location registration	None
	information	0471857162
40	Incoming call address	Next track upon no answer
	Tracking control	Next track upon no answer
	information	3rd priority
	Incoming call destination	3rd brioticy
	priority	Fixed terminal 11
45	Terminal type	None
	Location registration	None
	information	0486681950
	Incoming call address	Not next track upon
50	Tracking control	
	information	no answer

Fig. 7 shows still another process of updating the mobility information.

The location registration information of the mobile terminal 12 in the mobility information, shown in Table 10, in the individual database 15 of the subscriber A at 11:00 AM in ## (date), @@ (month) represents the location registration area 20. If the mobile terminal 12 moves from the location registration area 20 into the location registration area 30 upon

movement of the subscriber A, then the mobile terminal 12 transmits a request to update the mobility information as shown in Table 12 to the fixed terminal 10 in a step 301. In response to the request to update the mobility information in a step 302, the fixed terminal 10 updates the mobility information of the subscriber A in the individual database 15 thereof in a step 303. Table 13 shows updated mobility information in the individual database 15 of the subscriber A. Then, the fixed terminal 10 sends the request to update the mobility information as shown in Table 12 simultaneously to the other subscriber B and subscribers C, D, • • • (omitted from Table 13) that are registered in the individual database 15 in a step 304. In response to the request to update the mobility information, the fixed terminal 13 of the subscriber B updates the mobility information of the subscriber A in the individual database 16 of the subscriber B in a step 305. Table 14 shows updated mobility information in the individual database 16 of the subscriber B.

Table 12

14070 12	
1234567	
A	
1st priority	
Mobile terminal 12	
Location registration area 30	
0301111111	
Next track upon no answer	
2nd priority	
Fixed terminal 10	
None	
0471857162	
Next track upon no answer	
3rd priority	
Fixed terminal 11	
None	
0486681950	
Not next track upon no answer	

Table 13

Subscriber number	1234567
Subscriber's name	A
Date and time	@@ (day), ## (month) 8:30 - 17:15
Incoming call destination priority	1st priority
Terminal type	Mobile terminal 12

	Location registration	Location registration
	information	area 30
5	Incoming call address	0301111111
Ŭ.	Tracking control	Next track upon no answer
	information	
	Incoming call destination	2nd priority
	priority	
10	Terminal type	Fixed terminal 10
	Location registration	None
	information	0.423.0571.60
	Incoming call address	0471857162
	Tracking control	Next track upon no answer
15	information	3 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Incoming call destination	3rd priority
	priority	main a manage 1 11
	Terminal type	Fixed terminal 11
	Location registration	None
20	information	0486681950
	Incoming call address	Not next track upon
	Tracking control	no answer
	information	@@ (day), ## (month)
0.5	Date and time	17:15 - 8:30
25	Incoming call destination	1st priority
	priority	1st priority
	Terminal type	Fixed terminal 11
	Location registration	None
30	information	
	Incoming call address	0486681950
	Tracking control	Next track upon no answer
	information	•
	Incoming call destination	2nd priority
35	priority	
	Terminal type	Mobile terminal 12
	Location registration	Location registration
	information	area 30
	Incoming call address	0301111111
40	Tracking control	Next track upon no answer
	information	
	Incoming call destination	3rd priority
	priority	
45	Terminal type	Fixed terminal 10
1	Location registration	None
	information	
	Incoming call address	0471857162
	Tracking control	Not next track upon
50	information	no answer
İ	Subscriber number	3456769
	Subscriber's name	B

Incoming call destination 1st priority priority Terminal type Mobile terminal 14 Location registration Location registration information area 40 Incoming call address 030555555 Tracking control Next track upon no answer information Incoming call destination 2nd priority priority Terminal type Fixed terminal 13 Location registration None information
Incoming call address
Tracking control
information 0471852222 Not next track upon no answer

20

5

10

15

Table 14

25	Subscriber number	3456789
	Subscriber's name	B
	Date and time	@@ (day), ## (month)
		8:30 - 12:00
36	Incoming call destination	1st priority
30	priority	
	Terminal type	Fixed terminal 13
	Location registration	None
	information	
35	Incoming call address	0471852222
	Tracking control	Next track upon no answer
	information	
	Incoming call destination	2nd priority
	priority	
40	Terminal type	Mobile terminal 14
	Location registration	Location registration
	information	area 40
	Incoming call address	030555555
	Tracking control	Not next track upon
45	information	no answer
	Date and time	@@ (day), ## (month)
		12:00 - 8:30
	Incoming call destination	1st priority
5 <i>C</i>	priority	
36	Terminal type	Mobile terminal 14
	Location registration	Location registration
	information	area 40

Г	Incoming call address	030555555
ŀ		Next track upon no answer
]	Tracking control information	Mexc class them me am
5	Incoming call destination	2nd priority
1		21.0 p2202201
I	priority	Fixed terminal 13
1	Terminal type	None
	Location registration information	None
10		0471852222
- 1	Incoming call address	Not next track upon
	Tracking control	no answer
j	information	1234567
15	Subscriber number	A
1	Subscriber's name	
	Incoming call destination	1st priority
	priority	Mobile terminal 12
	Terminal type	Mobile terminal 12
20	Location registration	Location registration
	information	area 30 030111111
	Incoming call address	Next track upon no answer
	Tracking control	Next track upon no answer
25	information	2 1 == i == i + u
	Incoming call destination	2nd priority
	priority	Fixed terminal 10
	Terminal type	
30	Location registration	None
30	information	0471857162
	Incoming call address	Next track upon no answer
	Tracking control	Next crack upon no discrete
	information Incoming call destination	3rd priority
35		Sid priority
	priority	Fixed terminal 11
	Terminal type Location registration	None
		lione
40	information Incoming call address	0486681950
	Incoming call address	Not next track upon
	Tracking control	no answer
	information	110 0110 110 110 110 110 110 110 110 11

Table 15 given below shows, by way of example, the mobility information (before being updated) stored in the individual database 15 of the subscriber A, and Table 16 given below shows, by way of example, the mobility information (before being updated) in the individual database 16 of the subscriber B.

45

50

Table 15

	Subscriber number	1234567
5	Subscriber's name	TA .
	Date and time	@@ (day), ## (month)
		B:30 - 17:15
	Incoming call destination	1st priority
16	priority	100 F
10	Terminal type	Fixed terminal 10
	Location registration	None
	information	1.01.0
	Incoming call address	0471857162
15	Tracking control	Next track upon no answer
	information	
	Incoming call destination	2nd priority
	priority	
20	Terminal type	Mobile terminal 12
20	Location registration	Location registration
	information	area 20
	Incoming call address	0301111111
	Tracking control	Next track upon no answer
25	information	
	Incoming call destination	3rd priority
	priority	
	Terminal type	Fixed terminal 11
36	Location registration	None
	information	
	Incoming call address	0486681950
	Tracking control	Not next track upon
35	information	no answer
50	Date and time	@@ (day), ## (month)
	-	17:15 - 8:30
	Incoming call destination	1st priority
	priority Terminal type	
40	Location registration	Fixed terminal 11
	information	None
	Incoming call address	0486681950
	Tracking control	Next track upon no answer
4 5	information	Next track upon no answer
	Incoming call destination	and priority
	racoming call descination	2nd priority

50

priority	Mobile terminal 12
	Modile terminal iz
	Location registration
information	area 20
Incoming call address	0301111111
Tracking control	Next track upon no answer
information	
Incoming call destination	3rd priority
priority	
Terminal type	Fixed terminal 10
Location registration	None
information	
Incoming call address	0471857162
Tracking control	Not next track upon
information	no answer
Subscriber number	3456789
Subscriber's name	В
Incoming call destination	1st priority
priority	
Terminal type	Mobile terminal 14
	Location registration
Location registration information	area 40
Location registration information	area 40 0305555555
Location registration information Incoming call address	area 40
Location registration information Incoming call address Tracking control information	area 40 0305555555 Next track upon no answer
Location registration information Incoming call address Tracking control information	area 40 0305555555
Location registration information Incoming call address Tracking control	area 40 0305555555 Next track upon no answer 2nd priority
Location registration information Incoming call address Tracking control information Incoming call destination priority Terminal type	area 40 0305555555 Next track upon no answer 2nd priority Fixed terminal 13
Location registration information Incoming call address Tracking control information Incoming call destination priority	area 40 0305555555 Next track upon no answer 2nd priority
Location registration information Incoming call address Tracking control information Incoming call destination priority Terminal type Location registration information	area 40 0305555555 Next track upon no answer 2nd priority Fixed terminal 13 None
Location registration information Incoming call address Tracking control information Incoming call destination priority Terminal type Location registration information	area 40 0305555555 Next track upon no answer 2nd priority Fixed terminal 13 None
Location registration information Incoming call address Tracking control information Incoming call destination priority Terminal type Location registration	area 40 0305555555 Next track upon no answer 2nd priority Fixed terminal 13 None
	Terminal type Location registration information Incoming call address Tracking control information Incoming call destination priority Terminal type Location registration information Incoming call address Tracking control information Subscriber number Subscriber's name Incoming call destination priority

Table 16

Subscriber number.	3456789
Subscriber's name	В
Date and time	@@ (day), ## (month) 8:30 - 12:00
Incoming call destination priority	1st priority
Terminal type	Fixed terminal 13
Location registration information	None
Incoming call address	0471852222

	Tracking control	Next track upon no answer
	information	
5	Incoming call destination	2nd priority
•	priority	
	Terminal type	Mobile terminal 14
	Location registration	Location registration
	information	area 40
10	Incoming call address	030555555
	Tracking control	Not next track upon
	information	no answer
	Date and time	@@ (day), ## (month)
		12:00 - 8:30
15	Incoming call destination	1st priority
	priority	
	Terminal type	Mobile terminal 14
	Location registration	Location registration
	information	area 40 0305555555
20	Incoming call address Tracking control	
	information	Next track upon no answer
	Incoming call destination	2nd priority
	priority	and pricticy
25	Terminal type	Fixed terminal 13
	Location registration	None
	information	1
	Incoming call address	0471652222
	Tracking control	Not next track upon
30	information	no answer
	Subscriber number	1234567
	Subscriber's name	A
	Incoming call destination	1st priority
35	priority	
35	Terminal type	Fixed terminal 10
	Location registration	None
	information	
	Incoming call address	0471857162
40	Tracking control	Next track upon no answer
	information Incoming call destination	2 1
	priority	2nd priority
	Terminal type	Mark divining the state of the
	Location registration	Mobile terminal 12 Location registration
45	information	area 20
	Incoming call address	030111111
	Tracking control	Next track upon no answer
	information	Next clack upon no answer
50	Incoming call destination	3rd priority
50	priority	Std priority
	Terminal type	Fixed terminal 11
	L	

Location registration information	None	
Incoming call address	0486681950	
Tracking control information	Not next track upon no answer	

Fig. 8 shows yet still another process of updating the mobility information.

When a portable subscriber information memory card which carries the same information as the mobility information, shown in Table 15, in the individual database 15 of the subscriber A is inserted in the fixed terminal 11 at 11:00 AM in ## (date), @@ (month), the fixed terminal 11 transmits a request to update the mobility information as shown in Table 17 to the fixed terminal 10 in a step 401. In response to the request to update the mobility information in a step 402, the fixed terminal 10 updates the mobility information of the subscriber A in the individual database 15 thereof in a step 403. Table 18 shows updated mobility information in the individual database 15 of the subscriber A. Then, the fixed terminal 10 sends the request to update the mobility information as shown in Table 17 simultaneously to the other subscriber B and subscribers C, D, • • • (omitted from Table 18) that are registered in the individual database 15 in a step 404. In response to the request to update the mobility information, the fixed terminal 13 of the subscriber B updates the mobility information of the subscriber A in the individual database 16 of the subscriber B in a step 405. Table 19 shows updated mobility information in the individual database 16 of the subscriber B.

Table 17

Table 17		
Subscriber number	1234567	
Subscriber's name	Α	
Incoming call destination priority	1st priority	
Terminal type	Fixed terminal 11	
Location registration information	None	
Incoming call address	0486681950	
Tracking control information	Next track upon no answer	
Incoming call destination priority	2nd priority	
Terminal type	Fixed terminal 10	
Location registration information	None	
Incoming call address	0471857162	
Tracking control information	Next track upon no answer	
Incoming call destination priority	3rd priority	
Terminal type	Mobile terminal 12	
Location registration information	Location registration area 30	
Incoming call address	0301111111	
Tracking control information	Not next track upon no answer	

Table 18

Subscriber number	1234567
Subscriber's name	A
Date and time	@@ (day), ## (month)

:5

i		0.20 27.15
		8:30 - 17:15
	Incoming call destination	lst priority
5	priority	=
	Terminal type	Fixed terminal 11
	Location registration	None
	information	0.40.6601.050
	Incoming call address	0486681950 Next track upon no answer
10	Tracking control	Next track upon no answer
	information	2nd priority
	Incoming call destination	2nd priority
	priority	Fixed terminal 10
	Terminal type	None
15	Location registration	Notife
	information	0471857162
	Incoming call address Tracking control	Next track upon no answer
		Next clack upon no unswer
20	information Incoming call destination	3rd priority
	priority	Jid piloite,
	Terminal type	Mobile terminal 12
	Location registration	Location registration
	information	area 30
25	Incoming call address	0301111111
	Tracking control	Not next track upon
	information	no answer
	Date and time	@@ (day), ## (month)
0.0		17:15 - 8:30
30	Incoming call destination	1st priority
	priority	
	Terminal type	Fixed terminal 11
	Location registration in-	None
35	formation	0406681050
	Incoming call address	0486681950 Next track upon no answer
	Tracking control	Next track upon no answer
	information Incoming call destination	2nd priority
	priority	2 Ind priority
40	Terminal type	Mobile terminal 12
	Location registration	Location registration
	information	area 30
	Incoming call address	0301111111
45		Next track upon no answer
45	Tracking control information	Next track upon no answer
45	Tracking control information	Next track upon no answer 3rd priority
45	Tracking control	3rd priority
45	Tracking control information Incoming call destination priority Terminal type	
45	Tracking control information Incoming call destination priority	3rd priority
	Tracking control information Incoming call destination priority Terminal type	3rd priority Fixed terminal 10

Tracking control Not next track upon information no answer Subscriber number 3456769 Subscriber's name B Incoming call destination 1st priority priority
Terminal type
Location registration Mobile terminal 14 Location registration information area 40 Incoming call address 030555555 Tracking control Next track upon no answer information
Incoming call destination 2nd priority priority Terminal type Fixed terminal 13 Location registration None information Incoming call address 0471852222 Tracking control Not next track upon information no answer

25

30

35

40

45

5

1 C

15

20

Table 19

Subscriber number	3456789
Subscriber's name	В
Date and time	@@ (day), ## (month) 8:30 - 12:00
Incoming call destination priority	1st priority
Terminal type	Fixed terminal 13
Location registration information	None
Incoming call address	0471852222
Tracking control information	Next track upon no answe
Incoming call destination priority	2nd priority
Terminal type	Mobile terminal 14
Location registration information	Location registration area 40
Incoming call address	0305555555
Tracking control information	Not next track upon no answer
Date and time	@@ (day), ## (month) 12:00 - 8:30
Incoming call destination	1st priority

55

	priority	Mobile terminal 14
	Terminal type	Location registration
_	Location registration	area 40
5	information	030555555
	Incoming call address	Next track upon no answer
	Tracking control	Next track upon no amonat
	information	2 1 2 2 2 2 2 2
10	Incoming call destination	2nd priority
	priority	Fixed terminal 13
	Terminal type	
	Location registration	None
	information	250000
15	Incoming call address	0471852222
	Tracking control	Not next track upon
	information	no answer
	Subscriber number	1234567
20	Subscriber's name	A
	Incoming call destination	1st priority
	priority	
	Terminal type	Fixed terminal 11
	Location registration	None
25	information	
	Incoming call address	0486681950
	Tracking control	Next track upon no answer
	information	
30	Incoming call destination	2nd priority
	priority	10
	Terminal type	Fixed terminal 10
	Location registration	None
35	information	71.62
35	Incoming call address	0471857162 Next track upon no answer
	Tracking control	Next track upon no answer
40 45	information	
	Incoming call destination	3rd priority
	priority	11 12
	Terminal type	Movable terminal 12
	Location registration	Location registration
	information	area 30
	Incoming call address	0301111111
	Tracking control	Not next track upon
	information	no answer

50

In the communication system shown in Fig. 3, only the fixed terminal 10 of the subscriber A and the fixed terminal 13 of the subscriber B have respective individual databases. However, the fixed terminal 11 and the mobile terminal 12 may have respective individual databases identical to the individual database 15. Similarly, the mobile terminal 14 may 55 have an individual database identical to the individual database 16.

While data communications are performed between the terminals via the Internet 2 in Fig. 3, such a configuration is illustrated by way of example only, and data communications may be performed between the terminals via ISDN subscriber circuits, analog circuits, or outgoing and incoming call communication circuits.

The mobility information may be updated manually by the subscribers.

While preferred embodiments of the present invention have been described using specific terms, such description is for illustrative purposes only, and it is to be understood that changes and variations may be made without departing from the spirit or scope of the invention.

Claims

5

10

15

20

35

40

45

50

55

- A communication terminal for use in a communication system for performing voice communications and data communications, comprising an individual database for managing mobility information including:
 - (a) a subscriber number of a subscriber;
 - (b) a type of a registered communication terminal owned by the subscriber:
 - (c) incoming call destination priority information for determining a priority rank for the registered communication terminal to receive an incoming call;
 - (d) present location registration information of the registered communication terminal if the registered communication terminal is a mobile terminal;
 - (e) an incoming call address of the registered communication terminal;
 - (f) tracking control information as to whether an incoming call is to be received by a communication terminal having a next priority rank if the registered communication terminal is incapable of communication;
 - (g) the information (a) (f) classified according to dates and times;
 - (h) a subscriber number, registered by said subscriber, of at least one other subscriber; and
 - (i) the information (a) (f) of said at least one other subscriber.
- 2. A method of calling a subscriber in a communication system which performs voice communications and data communications using a communication terminal which comprises an individual database for managing mobility information including (a) a subscriber number of a subscriber, (b) a type of a registered communication terminal owned by the subscriber, (c) incoming call destination priority information for determining a priority rank for the registered communication terminal to receive an incoming call, (d) present location registration information of the registered communication terminal if the registered communication terminal is a mobile terminal, (e) an incoming call address of the registered communication terminal, (f) tracking control information as to whether an incoming call is to be received by a communication terminal having a next priority rank if the registered communication terminal is incapable of communication, (g) the information (a) (f) classified according to dates and times, (h) a subscriber number, registered by said subscriber, of at least one other subscriber, and (i) the information (a) (f) of said at least one other subscriber, said method comprising the steps of:

entering the subscriber number of the other subscriber, to which a call is to be transmitted, from the communication terminal of said subscriber;

inquiring about mobility information of the other subscriber, which is stored in an individual database of the other subscriber, based on the entered subscriber number via a communication network to acquire the mobility information of the other subscriber:

updating mobility information of the other subscriber, which is stored in the individual database of the subscriber, based on the acquired mobility information of the other subscriber;

checking incoming call destination priority information based on the updated mobility information of the other subscriber in the individual database of the subscriber, and acquiring an incoming call address of a communication terminal which has a first priority rank; and

calling the other subscriber via the communication terminal which has the acquired incoming call address.

- 3. A method according to claim 2, further comprising the steps of:
 - if the subscriber is incapable of communication with the communication terminal which has the acquired incoming call address, checking tracking control information of the communication terminal; if the tracking control information represents tracking control, acquiring an incoming call address of a commu-

nication terminal whose incoming call destination priority information represents a next priority rank; and calling the other subscriber via the communication terminal having the acquired incoming call address.

4. A method of updating mobility information in a communication system which performs voice communications and data communications using a communication terminal which comprises an individual database for managing mobility information including (a) a subscriber number of a subscriber, (b) a type of a registered communication terminal

owned by the subscriber, (c) incoming call destination priority information for determining a priority rank for the registered communication terminal to receive an incoming call, (d) present location registration information of the registered communication terminal if the registered communication terminal is a mobile terminal, (e) an incoming call address of the registered communication terminal, (f) tracking control information as to whether an incoming call is to be received by a communication terminal having a next priority rank if the registered communication terminal is incapable of communication, (g) the information (a) - (f) classified according to dates and times, (h) a subscriber number, registered by said subscriber, of at least one other subscriber, and (i) the information (a) - (f) of said at least one other subscriber, said method comprising the steps of:

when a mobile terminal owned by the subscriber is switched on or moves from a location registration area into another location registration area, sending a request to update mobility information from said mobile terminal to a mobile terminal having an individual database; and updating the mobility information of the subscriber which is stored in the individual database of the subscriber.

5. A method according to claim 4, further comprising the steps of:

10

20

30

35

45

50

55

transmitting the request to update mobility information from the mobile terminal of the subscriber simultaneously to other subscribers registered in the individual database of the subscriber; and updating the mobility information of the subscriber in individual databases of mobile terminals of the other subscribers in response to the request to update mobility information.

6. A method of updating mobility information in a communication system which performs voice communications and data communications using a communication terminal which comprises an individual database for managing mobility information including (a) a subscriber number of a subscriber, (b) a type of a registered communication terminal owned by the subscriber, (c) incoming call destination priority information for determining a priority rank for the registered communication terminal to receive an incoming call, (d) present location registration information of the registered communication terminal if the registered communication terminal is a mobile terminal, (e) an incoming call address of the registered communication terminal, (f) tracking control information as to whether an incoming call is to be received by a communication terminal having a next priority rank if the registered communication terminal is incapable of communication, (g) the information (a) - (f) classified according to dates and times, (h) a subscriber number, registered by said subscriber, of at least one other subscriber, and (i) the information (a) - (f) of said at least one other subscriber, said method comprising the steps of:

when the subscriber inserts a portable subscriber information memory card which carries the same information as the mobility information in the individual database into the communication terminal, transmitting a request to update mobility information from said communication terminal to another communication terminal having an individual database; and

updating the mobility information of the subscriber in the other individual database.

7. A method according to claim 6, further comprising the steps of:

transmitting the request to update mobility information from the mobile terminal of the subscriber simultaneously to other subscribers registered in the individual database of the subscriber; and updating the mobility information of the subscriber in individual databases of mobile terminals of the other subscribers in response to the request to update mobility information.

A method of updating mobility information in a communication system which performs voice communications and data communications using a communication terminal which comprises an individual database for managing mobility information including (a) a subscriber number of a subscriber, (b) a type of a registered communication terminal owned by the subscriber, (c) incoming call destination priority information for determining a priority rank for the registered communication terminal to receive an incoming call, (d) present location registration information of the registered communication terminal if the registered communication terminal is a mobile terminal, (e) an incoming call address of the registered communication terminal, (f) tracking control information as to whether an incoming call is to be received by a communication terminal having a next priority rank if the registered communication terminal is incapable of communication, (g) the information (a) - (f) classified according to dates and times, (h) a subscriber number, registered by said subscriber, of at least one other subscriber, and (i) the information (a) - (f) of said at least one other subscriber, said method comprising the step of:

when the subscriber changes communication terminals, accessing another communication terminal having an individual database via telephone to update the mobility information of the subscriber in the other individual database.

9. A method according to claim 8, further comprising the steps of:

10

15

25

30

35

40

45

50

55

when the subscriber receives an incoming call from the other subscriber registered in the individual database thereof, receiving mobility information of the other subscriber; and automatically updating the mobility information of the other subscriber stored in the individual database of the subscriber.

10. A method of updating mobility information in a communication system which performs voice communications and data communications using a communication terminal which comprises an individual database for managing mobility information including (a) a subscriber number of a subscriber. (b) a type of a registered communication terminal owned by the subscriber, (c) incoming call destination priority information for determining a priority rank for the registered communication terminal to receive an incoming call. (d) present location registration information of the registered communication terminal is a mobile terminal, (e) an incoming call address of the registered communication terminal. (f) tracking control information as to whether an incoming call is to be received by a communication terminal having a next priority rank if the registered communication terminal is incapable of communication. (g) the information (a) - (f) classified according to dates and times, (h) a subscriber number, registered by said subscriber, of at least one other subscriber, and (i) the information (a) - (f) of said at least one other subscriber, said method comprising the step of:

manually updating the mobile information of the subscriber stored in the individual database thereof.

11. A method according to claim 10, further comprising the step of:

manually updating the mobile information of the other subscriber which is stored in the individual database of the subscriber.

Fig. 1 Prior Art




Fig. 2 Prior Art





Fig. 3






Fig. 5




Fig. 6

